

3" X 6" CALACATTA (H) *Marble, Stone*



PART NUMBER
MB1203-0306H1

AVAILABILITY
IN STOCK

DIMENSIONS
3" x 6" = .125 sqft (+/-)

THICKNESS
3/8"

PROFILE
TILES

VARIATION
HIGH

GROUT JOINT
1/8"

SEALER
YES

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|----------------------------|------|--------|
| Yes | Yes | Yes | No | No | Yes, when sealed properly. | No | No |

TECHNICAL DATA

| FEATURES | SPECIFICATION | STANDARD |
|----------|---------------------|-------------|
| DCOF | | ANSI A137.1 |
| TRAFFIC | Standard Commercial | NA |

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

3" X 6" CALACATTA (P) *Marble, Stone*



PART NUMBER
MB1203-0306P1

AVAILABILITY
IN STOCK

DIMENSIONS
3" x 6" = .125 sqft (+/-)

THICKNESS
3/8"

PROFILE
TILES

VARIATION
HIGH

GROUT JOINT
1/8"

SEALER
YES

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|----------------------------|------|--------|
| Yes | Yes | Yes | No | No | Yes, when sealed properly. | No | No |

TECHNICAL DATA

| FEATURES | SPECIFICATION | STANDARD |
|----------|---------------------|-------------|
| DCOF | | ANSI A137.1 |
| TRAFFIC | Standard Commercial | NA |

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

3" X 9" CALACATTA (H) *Stone, Marble*



PART NUMBER
MB1203-0309H0

AVAILABILITY
IN STOCK

DIMENSIONS
2.95" x 9" = .18 sqft (+/-)

THICKNESS
3/8"

PROFILE
TILE

VARIATION
HIGH

GROUT JOINT
1/8"

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|--------------------------|--------------------------|------|--------|
| Yes | Yes | Yes | No | Yes when properly sealed | Yes when properly sealed | No | |

TECHNICAL DATA

| FEATURES | SPECIFICATION | STANDARD |
|----------|---------------------|----------|
| TRAFFIC | standard commercial | NA |

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

3" X 9" CALACATTA (P) *Stone, Marble*



PART NUMBER
MB1203-0309P0

AVAILABILITY
IN STOCK

DIMENSIONS
2.95" x 9" = .18 sqft (+/-)

THICKNESS
3/8"

PROFILE
TILE

VARIATION
HIGH

GROUT JOINT
1/8"

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|--------------------------|--------------------------|------|--------|
| Yes | Yes | Yes | No | Yes when properly sealed | Yes when properly sealed | No | |

TECHNICAL DATA

| FEATURES | SPECIFICATION | STANDARD |
|----------|---------------------|----------|
| TRAFFIC | standard commercial | NA |

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

2" X 8" CALACATTA (P) *Marble, Stone*



PART NUMBER
MB1203-0208PO

AVAILABILITY
IN STOCK

DIMENSIONS
1.97" x 7.87" = .108 sqft (+/-)

THICKNESS
3/8"

PROFILE
TILES

VARIATION
HIGH

GROUT JOINT
1/8"

SEALER
YES

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|----------------------------|------|--------|
| Yes | Yes | Yes | No | No | Yes, when sealed properly. | No | No |

TECHNICAL DATA

| FEATURES | SPECIFICATION | STANDARD |
|----------|---------------------|-------------|
| DCOF | | ANSI A137.1 |
| TRAFFIC | Standard Commercial | NA |

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

12" X 12" CALACATTA (H) *Marble, Stone*



PART NUMBER
MB1203-1212H0

AVAILABILITY
IN STOCK

DIMENSIONS
12" x 12" = 1 sqft (+/-)

THICKNESS
3/8"

PROFILE
TILES

VARIATION
HIGH

GROUT JOINT
1/8"

SEALER
YES

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|----------------------------|------|--------|
| Yes | Yes | Yes | No | No | Yes, when sealed properly. | No | No |

TECHNICAL DATA

| FEATURES | SPECIFICATION | STANDARD |
|----------|---------------------|-------------|
| DCOF | | ANSI A137.1 |
| TRAFFIC | Standard Commercial | NA |

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

12" X 12" CALACATTA (P) *Marble, Stone*



PART NUMBER
MB1203-1212P0

AVAILABILITY
IN STOCK

DIMENSIONS
12" x 12" = 1 sqft (+/-)

THICKNESS
3/8"

PROFILE
TILES

VARIATION
HIGH

GROUT JOINT
1/8"

SEALER
YES

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|----------------------------|------|--------|
| Yes | Yes | Yes | No | No | Yes, when sealed properly. | No | No |

TECHNICAL DATA

| FEATURES | SPECIFICATION | STANDARD |
|----------|---------------------|-------------|
| DCOF | | ANSI A137.1 |
| TRAFFIC | Standard Commercial | NA |

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

18" X 18" CALACATTA (H) *Marble, Stone*



PART NUMBER
MB1203-1818H0

AVAILABILITY
IN STOCK

DIMENSIONS
18" x 18" = 2.25 sqft (+/-)

THICKNESS
3/8"

PROFILE
TILES

VARIATION
HIGH

GROUT JOINT
1/8"

SEALER
YES

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|----------------------------|------|--------|
| Yes | Yes | Yes | No | No | Yes, when sealed properly. | No | No |

TECHNICAL DATA

| FEATURES | SPECIFICATION | STANDARD |
|----------|---------------------|-------------|
| DCOF | | ANSI A137.1 |
| TRAFFIC | Standard Commercial | NA |

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

18" X 18" CALACATTA (P) *Marble, Stone*



| | |
|-----------------------------|-------------|
| PART NUMBER | PROFILE |
| MB1203-1818PO | TILES |
| AVAILABILITY | VARIATION |
| IN STOCK | HIGH |
| DIMENSIONS | GROUT JOINT |
| 18" x 18" = 2.25 sqft (+/-) | 1/8" |
| THICKNESS | SEALER |
| 3/8" | YES |

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|----------------------------|------|--------|
| Yes | Yes | Yes | No | No | Yes, when sealed properly. | No | No |

TECHNICAL DATA

| FEATURES | SPECIFICATION | STANDARD |
|----------|---------------------|-------------|
| DCOF | | ANSI A137.1 |
| TRAFFIC | Standard Commercial | NA |

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

24" X 24" CALACATTA (P) *Stone, Marble*



PART NUMBER
MB1203-2424PO

AVAILABILITY
IN STOCK

DIMENSIONS
24" x 24" = 4 sqft (+/-)

THICKNESS
3/8"

PROFILE
TILES,LARGE FORMAT

VARIATION
HIGH

GROUT JOINT
1/8"

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|--------------------------|--------------------------|------|--------|
| Yes | Yes | Yes | No | Yes when properly sealed | Yes when properly sealed | No | |

TECHNICAL DATA

| FEATURES | SPECIFICATION | STANDARD |
|----------|---------------------|-------------|
| DCOF | | ANSI A137.1 |
| TRAFFIC | Standard Commercial | NA |

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

12" X 24" CALACATTA (H) *Marble, Stone*



PART NUMBER
MB1203-1224H0

AVAILABILITY
IN STOCK

DIMENSIONS
12" x 24" = 2 sqft (+/-)

THICKNESS
3/8"

PROFILE
TILES

VARIATION
HIGH

GROUT JOINT
1/8"

SEALER
YES

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|----------------------------|------|--------|
| Yes | Yes | Yes | No | No | Yes, when sealed properly. | No | No |

TECHNICAL DATA

| FEATURES | SPECIFICATION | STANDARD |
|----------|---------------------|-------------|
| DCOF | | ANSI A137.1 |
| TRAFFIC | Standard Commercial | NA |

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

12" X 24" CALACATTA (P) *Marble, Stone*



PART NUMBER
MB1203-1224P0

AVAILABILITY
IN STOCK

DIMENSIONS
12" x 24" = 2 sqft (+/-)

THICKNESS
3/8"

PROFILE
TILES

VARIATION
HIGH

GROUT JOINT
1/8"

SEALER
YES

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|----------------------------|------|--------|
| Yes | Yes | Yes | No | No | Yes, when sealed properly. | No | No |

TECHNICAL DATA

| FEATURES | SPECIFICATION | STANDARD |
|----------|---------------------|-------------|
| DCOF | | ANSI A137.1 |
| TRAFFIC | Standard Commercial | NA |

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

HEXAGON 3-7/8 CALACATTA (H) *Stone, Marble*



PART NUMBER
MB1203-HEX3H0

AVAILABILITY
IN STOCK

DIMENSIONS
7.88" x 10.25" = .56 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

VARIATION
HIGH

GROUT JOINT
1/8"

SEALER
YES

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|----------------------------|------|--------|
| Yes | Yes | Yes | No | No | Yes, when sealed properly. | No | No |

TECHNICAL DATA

| FEATURES | SPECIFICATION | STANDARD |
|----------|---------------------|-------------|
| DCOF | | ANSI A137.1 |
| TRAFFIC | Standard Commercial | NA |

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

HEXAGON 3-7/8 CALACATTA (P) *Stone, Marble*



PART NUMBER
MB1203-HEX3PO

AVAILABILITY
IN STOCK

DIMENSIONS
7.88" x 1.25" = .56 sqft

THICKNESS
3/8"

VARIATION
HIGH

GROUT JOINT
1/8"

SEALER
YES

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|--------------------------|--------------------------|------|--------|
| Yes | Yes | Yes | No | Yes when properly sealed | Yes when properly sealed | No | |

TECHNICAL DATA

| FEATURES | SPECIFICATION | STANDARD |
|----------|---------------------|----------|
| TRAFFIC | Standard Commercial | NA |

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

HEXAGON CALACATTA (H) *Stone, Marble*



PART NUMBER
MB1203-HEXAHO

AVAILABILITY
IN STOCK

DIMENSIONS
9.75" x 10.13" = .69 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

VARIATION
HIGH

GROUT JOINT
1/8"

SEALER
YES

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|----------------------------|------|--------|
| Yes | Yes | Yes | No | No | Yes, when sealed properly. | No | No |

TECHNICAL DATA

| FEATURES | SPECIFICATION | STANDARD |
|----------|---------------------|-------------|
| DCOF | | ANSI A137.1 |
| TRAFFIC | Standard Commercial | NA |

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

HEXAGON CALACATTA (P) *Stone, Marble*



PART NUMBER
MB1203-HEXAPO

AVAILABILITY
IN STOCK

DIMENSIONS
9.75" x 10.13" = .69 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

VARIATION
HIGH

GROUT JOINT
1/8"

SEALER
YES

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|----------------------------|------|--------|
| Yes | Yes | Yes | No | No | Yes, when sealed properly. | No | No |

TECHNICAL DATA

| FEATURES | SPECIFICATION | STANDARD |
|----------|---------------------|-------------|
| DCOF | | ANSI A137.1 |
| TRAFFIC | Standard Commercial | NA |

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

1" X 4" HERRINGBONE CALACATTA (H) *Stone, Marble*



PART NUMBER
MB1203-HB14H0

AVAILABILITY
IN STOCK

DIMENSIONS
9" x 11.5" = .72 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

VARIATION
HIGH

GROUT JOINT
1/8"

SEALER
YES

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|----------------------------|------|--------|
| Yes | Yes | Yes | No | No | Yes, when sealed properly. | No | No |

TECHNICAL DATA

| FEATURES | SPECIFICATION | STANDARD |
|----------|---------------------|-------------|
| DCOF | | ANSI A137.1 |
| TRAFFIC | Standard Commercial | NA |

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

1" X 4" HERRINGBONE CALACATTA (P) *Stone, Marble*



PART NUMBER
MB1203-HB14P0

AVAILABILITY
IN STOCK

DIMENSIONS
9" x 11.5" = .72 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

VARIATION
HIGH

GROUT JOINT
1/8"

SEALER
YES

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|----------------------------|------|--------|
| Yes | Yes | Yes | No | No | Yes, when sealed properly. | No | No |

TECHNICAL DATA

| FEATURES | SPECIFICATION | STANDARD |
|----------|---------------------|-------------|
| DCOF | | ANSI A137.1 |
| TRAFFIC | Standard Commercial | NA |

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

BASKET WEAVE CALACATTA (P) W/ BLUE LAGOS (H) *Stone, Marble*



PART NUMBER
MB1203-BASIP6

AVAILABILITY
IN STOCK

DIMENSIONS
9.75" x 9.75" = .66 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

VARIATION
HIGH

GROUT JOINT
1/16"

SEALER
YES

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|-------------|------|--------|
| Yes | Yes | Yes | No | No | No | No | No |

TECHNICAL DATA

| FEATURES | SPECIFICATION | STANDARD |
|----------|---------------------|-------------|
| DCOF | | ANSI A137.1 |
| TRAFFIC | Standard Commercial | NA |

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

BASKET WEAVE CALACATTA (H) W/ PISTACHIO GREEN (H) *Stone, Marble*



PART NUMBER
MB1203-BASIH3

AVAILABILITY
IN STOCK

DIMENSIONS
9.75" x 9.75" = .66 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

VARIATION
HIGH

GROUT JOINT
1/16"

SEALER
YES

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|-------------|------|--------|
| Yes | Yes | Yes | No | No | No | No | No |

TECHNICAL DATA

| FEATURES | SPECIFICATION | STANDARD |
|----------|---------------------|-------------|
| DCOF | | ANSI A137.1 |
| TRAFFIC | Standard Commercial | NA |

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

BASKET WEAVE CALACATTA (P) W/ PISTACHIO GREEN (P) *Stone, Marble*



PART NUMBER
MB1203-BASIP2

AVAILABILITY
IN STOCK

DIMENSIONS
9.75" x 9.75" = .66 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

VARIATION
HIGH

GROUT JOINT
1/16"

SEALER
YES

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|-------------|------|--------|
| Yes | Yes | Yes | No | No | No | No | No |

TECHNICAL DATA

| FEATURES | SPECIFICATION | STANDARD |
|----------|---------------------|-------------|
| DCOF | | ANSI A137.1 |
| TRAFFIC | Standard Commercial | NA |

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

BASKET WEAVE CALACATTA (H) W/ TULIP BLACK (H) *Stone, Marble*



PART NUMBER
MB1203-BASIHO

AVAILABILITY
IN STOCK

DIMENSIONS
9.75" x 9.75" = .66 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

GROUT JOINT
1/16"

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|----------------------------|------|--------|
| Yes | Yes | Yes | No | No | Yes, when sealed properly. | No | No |

TECHNICAL DATA

| FEATURES | SPECIFICATION | STANDARD |
|----------|---------------------|-------------|
| DCOF | | ANSI A137.1 |
| TRAFFIC | Standard Commercial | NA |

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

BASKET WEAVE CALACATTA (P) W/ TULIP BLACK (P) *Stone, Marble*



PART NUMBER
MB1203-BASIPO

AVAILABILITY
IN STOCK

DIMENSIONS
9.75" x 9.75" = .66 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

VARIATION
HIGH

GROUT JOINT
1/16"

SEALER
YES

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|----------------------------|------|--------|
| Yes | Yes | Yes | No | No | Yes, when sealed properly. | No | No |

TECHNICAL DATA

| FEATURES | SPECIFICATION | STANDARD |
|----------|---------------------|-------------|
| DCOF | | ANSI A137.1 |
| TRAFFIC | Standard Commercial | NA |

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

1" X 6" BRICK CALACATTA (P) *Stone, Marble*



PART NUMBER
MB1203-BR16PO

AVAILABILITY
IN STOCK

DIMENSIONS
9.75" x 11.75" = .80 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

VARIATION
HIGH

GROUT JOINT
1/16"

SEALER
YES

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|----------------------------|------|--------|
| Yes | Yes | Yes | No | No | Yes, when sealed properly. | No | No |

TECHNICAL DATA

| FEATURES | SPECIFICATION | STANDARD |
|----------|---------------------|-------------|
| DCOF | | ANSI A137.1 |
| TRAFFIC | Standard Commercial | NA |

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

2" X 2" CALACATTA (H) *Stone, Marble*



PART NUMBER
MB1203-M002H0

AVAILABILITY
IN STOCK

DIMENSIONS
12" x 12" = 1 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

VARIATION
HIGH

GROUT JOINT
1/8"

SEALER
YES

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|----------------------------|------|--------|
| Yes | Yes | Yes | No | No | Yes, when sealed properly. | No | No |

TECHNICAL DATA

| FEATURES | SPECIFICATION | STANDARD |
|----------|---------------------|-------------|
| DCOF | | ANSI A137.1 |
| TRAFFIC | Standard Commercial | NA |

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

2" X 4" BRICK CALACATTA (H) *Stone, Marble*



PART NUMBER
MB1203-BRICH0

AVAILABILITY
IN STOCK

DIMENSIONS
9.75" x 11.75" = .80 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

VARIATION
HIGH

GROUT JOINT
1/8"

SEALER
YES

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|----------------------------|------|--------|
| Yes | Yes | Yes | No | No | Yes, when sealed properly. | No | No |

TECHNICAL DATA

| FEATURES | SPECIFICATION | STANDARD |
|----------|---------------------|-------------|
| DCOF | | ANSI A137.1 |
| TRAFFIC | Standard Commercial | NA |

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

2" X 4" BRICK CALACATTA (P) *Stone, Marble*



PART NUMBER
MB1203-BRICPO

AVAILABILITY
IN STOCK

DIMENSIONS
9.75" x 11.75" = .80 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

VARIATION
HIGH

GROUT JOINT
1/8"

SEALER
YES

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|----------------------------|------|--------|
| Yes | Yes | Yes | No | No | Yes, when sealed properly. | No | No |

TECHNICAL DATA

| FEATURES | SPECIFICATION | STANDARD |
|----------|---------------------|-------------|
| DCOF | | ANSI A137.1 |
| TRAFFIC | Standard Commercial | NA |

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

3/4" X 3/4" CALACATTA (H) *Marble, Stone*



PART NUMBER
MB1203-M034H0

AVAILABILITY
IN STOCK

DIMENSIONS
12" x 12" = 1 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

VARIATION
HIGH

GROUT JOINT
1/16"

SEALER
YES

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|----------------------------|------|--------|
| Yes | Yes | Yes | No | No | Yes, when sealed properly. | No | No |

TECHNICAL DATA

| FEATURES | SPECIFICATION | STANDARD |
|----------|---------------------|-------------|
| DCOF | | ANSI A137.1 |
| TRAFFIC | Standard Commercial | NA |

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

3/8" X 3/8" CALACATTA (H) *Marble, Stone*



PART NUMBER
MB1203-M038H1

AVAILABILITY
IN STOCK

DIMENSIONS
10.75" x 10.38" = .77 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

VARIATION
HIGH

GROUT JOINT
NONE

SEALER
YES

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|----------------------------|------|--------|
| Yes | Yes | Yes | No | No | Yes, when sealed properly. | No | No |

TECHNICAL DATA

| FEATURES | SPECIFICATION | STANDARD |
|----------|---------------------|-------------|
| DCOF | | ANSI A137.1 |
| TRAFFIC | Standard Commercial | NA |

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

HEAVY RAIN CALACATTA (H&P) *Stone, Marble*



PART NUMBER
MB1203-HERAPO

AVAILABILITY
IN STOCK

DIMENSIONS
10" x 11.66" = .810 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

VARIATION
HIGH

GROUT JOINT
1/16"

SEALER
YES

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|----------------------------|------|--------|
| Yes | No | Yes | No | No | Yes, when sealed properly. | No | No |

TECHNICAL DATA

| FEATURES | SPECIFICATION | STANDARD |
|----------|---------------------|-------------|
| DCOF | | ANSI A137.1 |
| TRAFFIC | Standard Commercial | NA |

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

IVY CALACATTA (H&P) *Stone, Marble / Calacatta*



PART NUMBER
MB1203-IVY000

AVAILABILITY
IN STOCK

DIMENSIONS
9.88" x 11.75" = .81 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

VARIATION
HIGH

GROUT JOINT
1/8"

SEALER
YES

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|----------------------------|------|--------|
| Yes | Yes | Yes | No | No | Yes, when sealed properly. | No | No |

TECHNICAL DATA

| FEATURES | SPECIFICATION | STANDARD |
|----------|---------------------|-------------|
| DCOF | | ANSI A137.1 |
| TRAFFIC | Standard Commercial | NA |

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

STAGGER CALACATTA (H&P) *Stone, Marble*



PART NUMBER
MB1203-STGR00

AVAILABILITY
IN STOCK

DIMENSIONS
11.63" x 12.5" = 1.01 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

VARIATION
HIGH

GROUT JOINT
1/16"

SEALER
YES

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|----------------------------|------|--------|
| Yes | Yes | Yes | No | No | Yes, when sealed properly. | No | No |

TECHNICAL DATA

| FEATURES | SPECIFICATION | STANDARD |
|----------|---------------------|-------------|
| DCOF | | ANSI A137.1 |
| TRAFFIC | Standard Commercial | NA |

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

VISION CALACATTA (H&P) *Marble, Stone*



PART NUMBER
MB1203-VISN00

AVAILABILITY
IN STOCK

DIMENSIONS
12" x 12.38" = 1.03 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

VARIATION
HIGH

GROUT JOINT
1/8"

SEALER
YES

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|----------------------------|------|--------|
| Yes | Yes | Yes | No | No | Yes, when sealed properly. | No | No |

TECHNICAL DATA

| FEATURES | SPECIFICATION | STANDARD |
|----------|---------------------|-------------|
| DCOF | | ANSI A137.1 |
| TRAFFIC | Standard Commercial | NA |

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

ALLURE CAPTIVATE CALACATTA (P) W/ BLUE LAGOS (H) *Stone, Marble*



PART NUMBER
MB1203-CAPTP1

AVAILABILITY
IN STOCK

DIMENSIONS
10.5" x 11.43" = .83 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

VARIATION
HIGH

GROUT JOINT
1/16"

SEALER
YES

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|-------------|------|--------|
| Yes | Yes | Yes | No | No | No | No | No |

TECHNICAL DATA

| FEATURES | SPECIFICATION | STANDARD |
|----------|---------------------|-------------|
| DCOF | | ANSI A137.1 |
| TRAFFIC | Standard Commercial | NA |

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

ALLURE CAPTIVATE CALACATTA (P) W/ BRONZE & PEWTER MIRROR

Stone, Marble, Mixed Media / Calacatta (P) with Bronze & Pewter Mirror



PART NUMBER
MB1203-CAPTP0

AVAILABILITY
IN STOCK

DIMENSIONS
10.5" x 11.43" = .83 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

VARIATION
HIGH

GROUT JOINT
1/16"

SEALER
YES

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|-------------|------|--------|
| Yes | No | Yes | No | No | No | No | No |

TECHNICAL DATA

| FEATURES | SPECIFICATION | STANDARD |
|----------|---------------|-------------|
| DCOF | | ANSI A137.1 |

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

WHEN USING MOSAICS CONTAINING MIRROR IN A BACKSPLASH DESIGN, INCLUDE A 4" SPLASH GUARD OF WET AREA APPROPRIATE MATERIAL IN AREAS WHERE WATER MAY POOL, SUCH AS BEHIND FAUCETS.

For detailed installation instructions, visit akdo.com.

ALLURE CHARISMA CALACATTA (P) W/ BLUE LAGOS (H) *Stone, Marble*



| | |
|---------------------------|-------------|
| PART NUMBER | PROFILE |
| MB1203-CHARP1 | MOSAICS |
| AVAILABILITY | VARIATION |
| IN STOCK | HIGH |
| DIMENSIONS | GROUT JOINT |
| 8.32" x 10.82" = .62 sqft | 1/16" |
| THICKNESS | SEALER |
| 3/8" | YES |

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|-------------|------|--------|
| Yes | Yes | Yes | No | No | No | No | No |

TECHNICAL DATA

| FEATURES | SPECIFICATION | STANDARD |
|----------|---------------------|-------------|
| DCOF | | ANSI A137.1 |
| TRAFFIC | Standard Commercial | NA |

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

ALLURE ENCHANT CALACATTA (P) W/ BLUE LAGOS (H) *Stone, Marble*



PART NUMBER
MB1203-ENCHP1

AVAILABILITY
IN STOCK

DIMENSIONS
11.44" x 11.88" = .94 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

VARIATION
HIGH

GROUT JOINT
1/16"

SEALER
YES

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|-------------|------|--------|
| Yes | Yes | Yes | No | No | No | No | No |


TECHNICAL DATA

| FEATURES | SPECIFICATION | STANDARD |
|----------|---------------------|-------------|
| DCOF | | ANSI A137.1 |
| TRAFFIC | Standard Commercial | NA |

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

ALLURE ENCHANT CALACATTA (P) W/ BRONZE & PEWTER MIRROR *Stone, Marble, Mirror, 1*



PART NUMBER
MB1203-ENCHP0

AVAILABILITY
IN STOCK

DIMENSIONS
11.44" x 11.88" = .94 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

VARIATION
HIGH

GROUT JOINT
1/16"

SEALER
YES

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|-------------|------|--------|
| Yes | No | Yes | No | No | No | No | No |

TECHNICAL DATA

| FEATURES | SPECIFICATION | STANDARD |
|-----------------|---------------------------|-------------|
| DCOF | | ANSI A137.1 |
| Heat Resistance | Heat not to exceed 293° F | 96/603/CE |

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

WHEN USING MOSAICS CONTAINING MIRROR IN A BACKSPLASH DESIGN, INCLUDE A 4" SPLASH GUARD OF WET AREA APPROPRIATE MATERIAL IN AREAS WHERE WATER MAY POOL, SUCH AS BEHIND FAUCETS.

For detailed installation instructions, visit akdo.com.

ALLURE RADIANCE CALACATTA (P) W/ BLUE LAGOS (H) *Stone, Marble*



PART NUMBER
MB1203-RADIPI

AVAILABILITY
IN STOCK

DIMENSIONS
9.75" x 12.87" = .87 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

VARIATION
HIGH

GROUT JOINT
1/16"

SEALER
YES

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|-------------|------|--------|
| Yes | Yes | Yes | No | No | No | No | No |

TECHNICAL DATA

| FEATURES | SPECIFICATION | STANDARD |
|----------|---------------------|-------------|
| DCOF | | ANSI A137.1 |
| TRAFFIC | Standard Commercial | NA |

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

ALLURE RADIANCE CALACATTA (P) W/ BRONZE & PEWTER MIRROR *Stone, Marble, Mirror, .*



PART NUMBER
MB1203-RADIPO

PROFILE
MOSAICS

AVAILABILITY
IN STOCK

VARIATION
HIGH

DIMENSIONS
9.75" x 12.87" = .87 sqft

GROUT JOINT
1/16"

THICKNESS
3/8"

SEALER
YES

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|-------------|------|--------|
| Yes | No | Yes | No | No | No | No | No |

TECHNICAL DATA

| FEATURES | SPECIFICATION | STANDARD |
|-----------------|---------------------------|-------------|
| DCOF | | ANSI A137.1 |
| Heat Resistance | Heat not to exceed 293° F | 96/603/CE |

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

WHEN USING MOSAICS CONTAINING MIRROR IN A BACKSPLASH DESIGN, INCLUDE A 4" SPLASH GUARD OF WET AREA APPROPRIATE MATERIAL IN AREAS WHERE WATER MAY POOL, SUCH AS BEHIND FAUCETS.

For detailed installation instructions, visit akdo.com.

ALLURE RUG MOSAIC CALACATTA (P) W/ BRONZE & PEWTER MIRROR

Stone, Marble, Mirror, Mixed Media / Calacatta (P) with BRONZE & PEWTER Mirror



PART NUMBER
SDAL03-AL01RU

AVAILABILITY
IN STOCK

DIMENSIONS
7.88" x 11.75" = .64 sqft

THICKNESS
3/8"

PROFILE
MOSAICS,ART PIECES

VARIATION
HIGH

GROUT JOINT
1/16"

SEALER
YES

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|-------------|------|--------|
| Yes | No | Yes | No | No | No | No | No |

TECHNICAL DATA

| FEATURES | SPECIFICATION | STANDARD |
|-----------------|---------------------------|-------------|
| DCOF | | ANSI A137.1 |
| Heat Resistance | Heat not to exceed 293° F | 96/603/CE |

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

WHEN USING MOSAICS CONTAINING MIRROR IN A BACKSPLASH DESIGN, INCLUDE A 4" SPLASH GUARD OF WET AREA APPROPRIATE MATERIAL IN AREAS WHERE WATER MAY POOL, SUCH AS BEHIND FAUCETS.

For detailed installation instructions, visit akdo.com.

ESSENCE CLARITY SAPPHIRE CALACATTA W/ MOCHA & SAPPHIRE ART GLASS (H)

Stone, Glass, Artglass, Mixed Media, Marble / Calacatta (H) /w Mocha Artglass, Sapphire Artglass



| | |
|----------------------------|-----------|
| PART NUMBER | PROFILE |
| MB1203-CLAR01 | MOSAICS |
| AVAILABILITY | VARIATION |
| IN STOCK | HIGH |
| DIMENSIONS | SEALER |
| 9.625" x 9.625" = .65 sqft | YES |
| THICKNESS | |

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|----------------------------|------|--------|
| Yes | No | Yes | No | No | Yes, when sealed properly. | No | No |

TECHNICAL DATA

| FEATURES | SPECIFICATION | STANDARD |
|------------------|---------------------------|---------------------|
| Frost resistance | No | UNE-EN-ISO-10545-12 |
| DCOF | | ANSI A137.1 |
| Heat Resistance | HEAT NOT TO EXCEED 212° F | 96/603/CE |
| TRAFFIC | WALL ONLY | NA |

WATER JET MOSAICS ARE DELICATE IN NATURE, AND THUS, FRACTURES IN THE TESSERAE ARE EXPECTED AND CONSIDERED NATURAL. GROUT COLORS MAY BE CHOSEN TO MATCH THE COLOR OF THE STONE AND WILL REDUCE THE APPEARANCE OF THE CRACKS.

For detailed installation instructions, visit akdo.com.

ESSENCE HARMONY SAPPHIRE CALACATTA W/ SAPPHIRE & MOCHA ART GLASS (H)

Stone, Marble, Glass, Artglass, Mixed Media / Calacatta (H) /w Mocha Artglass, Sapphire Artglass



| | |
|-----------------------------|-----------|
| PART NUMBER | PROFILE |
| MB1203-HARM01 | MOSAICS |
| AVAILABILITY | VARIATION |
| IN STOCK | HIGH |
| DIMENSIONS | SEALER |
| 10.375" x 9.875" = .71 sqft | YES |
| THICKNESS | |

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|----------------------------|------|--------|
| Yes | No | Yes | No | No | Yes, when sealed properly. | No | No |

TECHNICAL DATA

| FEATURES | SPECIFICATION | STANDARD |
|------------------|---------------------------|---------------------|
| Frost resistance | No | UNE-EN-ISO-10545-12 |
| DCOF | | ANSI A137.1 |
| Heat Resistance | HEAT NOT TO EXCEED 212° F | 96/603/CE |
| TRAFFIC | WALL ONLY | NA |

WATER JET MOSAICS ARE DELICATE IN NATURE, AND THUS, FRACTURES IN THE TESSERAE ARE EXPECTED AND CONSIDERED NATURAL. GROUT COLORS MAY BE CHOSEN TO MATCH THE COLOR OF THE STONE AND WILL REDUCE THE APPEARANCE OF THE CRACKS.

For detailed installation instructions, visit akdo.com.

ESSENCE LEGACY SAPPHIRE CALACATTA W/ SAPPHIRE ART GLASS (H)

Stone, Marble, Glass, Artglass, Mixed Media / Calacatta (H), Calacatta (H) /w Sapphire Artglass



PART NUMBER
MB1203-LEGA01

AVAILABILITY
IN STOCK

DIMENSIONS
8" x 8" = .444 sqft

THICKNESS

PROFILE
MOSAICS

VARIATION
HIGH

SEALER
YES

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|----------------------------|------|--------|
| Yes | No | Yes | No | No | Yes, when sealed properly. | No | No |

TECHNICAL DATA

| FEATURES | SPECIFICATION | STANDARD |
|------------------|---------------------------|---------------------|
| Frost resistance | No | UNE-EN-ISO-10545-12 |
| DCOF | | ANSI A137.1 |
| Heat Resistance | HEAT NOT TO EXCEED 212° F | 96/603/CE |
| TRAFFIC | WALL ONLY | NA |

WATER JET MOSAICS ARE DELICATE IN NATURE, AND THUS, FRACTURES IN THE TESSERAE ARE EXPECTED AND CONSIDERED NATURAL. GROUT COLORS MAY BE CHOSEN TO MATCH THE COLOR OF THE STONE AND WILL REDUCE THE APPEARANCE OF THE CRACKS.

For detailed installation instructions, visit akdo.com.

ESSENCE WHIMSY SAPPHIRE ART GLASS W/ CALACATTA (H)

Marble, Stone, Glass, Artglass, Mixed Media / Sapphire Artglass w/ Calacatta (H)



PART NUMBER
MB1203-WHIM01

PROFILE
MOSAICS

AVAILABILITY
IN STOCK

VARIATION
HIGH

DIMENSIONS
10.25" x 10.25" = .73 sqft

SEALER
YES

THICKNESS

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|----------------------------|------|--------|
| Yes | No | Yes | No | No | Yes, when sealed properly. | No | No |

TECHNICAL DATA

| FEATURES | SPECIFICATION | STANDARD |
|------------------|---------------------------|---------------------|
| Frost resistance | No | UNE-EN-ISO-10545-12 |
| DCOF | | ANSI A137.1 |
| Heat Resistance | HEAT NOT TO EXCEED 212° F | 96/603/CE |
| TRAFFIC | WALL ONLY | NA |

WATER JET MOSAICS ARE DELICATE IN NATURE, AND THUS, FRACTURES IN THE TESSERAЕ ARE EXPECTED AND CONSIDERED NATURAL. GROUT COLORS MAY BE CHOSEN TO MATCH THE COLOR OF THE STONE AND WILL REDUCE THE APPEARANCE OF THE CRACKS.

For detailed installation instructions, visit akdo.com.

ETHEREAL TRIANGLE CALACATTA (H) *Stone, Marble*



PART NUMBER
MB1203-AURAH0

AVAILABILITY
IN STOCK

DIMENSIONS
8" equilateral = .19 sqft

THICKNESS
10mm

PROFILE
MOSAICS

GROUT JOINT
1/8"

SEALER
YES

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|----------------------------|------|--------|
| Yes | Yes | Yes | No | No | Yes, when sealed properly. | No | No |

TECHNICAL DATA


| FEATURES | SPECIFICATION | STANDARD |
|------------------|---------------------------|--------------------|
| Frost resistance | No | UNE-ENHSO-10545-12 |
| DCOF | | ANSI A137.1 |
| Heat Resistance | Heat not to exceed 293° F | 96/603/CE |
| TRAFFIC | Standard Commercial | NA |

EPOXY GROUT SHOULD BE USED WHEN INSTALLING ETHEREAL MOSAICS. FOR MORE INFORMATION, PLEASE DOWNLOAD THE ETHEREAL COLLECTION'S INSTALLATION GUIDELINES.

For detailed installation instructions, visit akdo.com.

ETHEREAL FLICKER CALACATTA (H) W/ BRASS

Stone, Marble, Metal, Mixed Media / Flicker Calacatta H with Brass



PART NUMBER

MB1203-FLCKHO

AVAILABILITY

IN STOCK

DIMENSIONS

8" equilateral = .19 sqft

THICKNESS

10mm

PROFILE

MOSAICS

GROUT JOINT

1/8"

SEALER

YES

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|-------------|------|--------|
| Yes | Yes | Yes | No | No | No | No | No |

TECHNICAL DATA

| FEATURES | SPECIFICATION | STANDARD |
|------------------|---------------------------|---------------------|
| Frost resistance | No | UNE-EN-ISO-10545-12 |
| DCOF | | ANSI A137.1 |
| Heat Resistance | Heat not to exceed 293° F | 96/603/CE |
| TRAFFIC | Standard Commercial | NA |

AKDO'S ETHEREAL COLLECTION MOSAICS IN CALACATTA W/ BRASS ARE CRAFTED USING REAL BRASS INLAY. AS A NATURAL MATERIAL, BRASS IS PRONE TO OXIDATION; A CHEMICAL REACTION THAT OCCURS OVER TIME FROM EXPOSURE TO AIR. WHILE BRASS HAS LONG BEEN PRIZED FOR ITS RES

For detailed installation instructions, visit akdo.com.

ETHEREAL GLEAM CALACATTA (H) W/ BRASS

Stone, Marble, Metal, Mixed Media / Gleam Calacatta H with Brass



PART NUMBER
MB1203-GLAMHO

AVAILABILITY
IN STOCK

DIMENSIONS
8" equilateral = .19 sqft

THICKNESS
10mm

PROFILE
MOSAICS

GROUT JOINT
1/8"

SEALER
YES

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|-------------|------|--------|
| Yes | Yes | Yes | No | No | No | No | No |

TECHNICAL DATA

| FEATURES | SPECIFICATION | STANDARD |
|------------------|---------------------------|--------------------|
| Frost resistance | No | UNE-ENISO-10545-12 |
| DCOF | | ANSI A137.1 |
| Heat Resistance | Heat not to exceed 293° F | 96/603/CE |
| TRAFFIC | Standard Commercial | NA |

AKDO'S ETHEREAL COLLECTION MOSAICS IN CALACATTA W/ BRASS ARE CRAFTED USING REAL BRASS INLAY. AS A NATURAL MATERIAL, BRASS IS PRONE TO OXIDATION; A CHEMICAL REACTION THAT OCCURS OVER TIME FROM EXPOSURE TO AIR. WHILE BRASS HAS LONG BEEN PRIZED FOR ITS RES

For detailed installation instructions, visit akdo.com.

ETHEREAL LUNA CALACATTA (H) W/ BRASS

Stone, Marble, Metal, Mixed Media / Luna Calacatta H with Brass



PART NUMBER
MB1203-LUNAH0

AVAILABILITY
IN STOCK

DIMENSIONS
12" x 12" = 1 sqft

THICKNESS
4mm

PROFILE
MOSAICS

GROUT JOINT
1/16"

SEALER
YES

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|-------------|------|--------|
| Yes | Yes | Yes | No | No | No | No | No |

TECHNICAL DATA

| FEATURES | SPECIFICATION | STANDARD |
|------------------|---------------------------|--------------------|
| Frost resistance | No | UNE-ENHSO-10545-12 |
| DCOF | | ANSI A137.1 |
| Heat Resistance | Heat not to exceed 293° F | 96/603/CE |
| TRAFFIC | Standard Commercial | NA |

AKDO'S ETHEREAL COLLECTION MOSAICS IN CALACATTA W/ BRASS ARE CRAFTED USING REAL BRASS INLAY. AS A NATURAL MATERIAL, BRASS IS PRONE TO OXIDATION; A CHEMICAL REACTION THAT OCCURS OVER TIME FROM EXPOSURE TO AIR. WHILE BRASS HAS LONG BEEN PRIZED FOR ITS RES

For detailed installation instructions, visit akdo.com.

ETHEREAL NOVA CALACATTA W/ BRASS (H)

Stone, Marble, Metal, Mixed Media / Nova calacatta H with Brass



PART NUMBER

MB1203-NOVAH0

AVAILABILITY

IN STOCK

DIMENSIONS

16" x 11-1/4" = 1.25 sqft

THICKNESS

4mm

PROFILE

MOSAICS

GROUT JOINT

1/16"

SEALER

YES

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|-------------|------|--------|
| Yes | Yes | Yes | No | No | No | No | No |

TECHNICAL DATA

| FEATURES | SPECIFICATION | STANDARD |
|------------------|---------------------------|--------------------|
| Frost resistance | No | UNE-ENISO-10545-12 |
| DCOF | | ANSI A137.1 |
| Heat Resistance | Heat not to exceed 293° F | 96/603/CE |
| TRAFFIC | Standard Commercial | NA |

AKDO'S ETHEREAL COLLECTION MOSAICS IN CALACATTA W/ BRASS ARE CRAFTED USING REAL BRASS INLAY. AS A NATURAL MATERIAL, BRASS IS PRONE TO OXIDATION; A CHEMICAL REACTION THAT OCCURS OVER TIME FROM EXPOSURE TO AIR. WHILE BRASS HAS LONG BEEN PRIZED FOR ITS RES

For detailed installation instructions, visit akdo.com.

ETHEREAL PRISM CALACATTA (H) W/ BRASS

Stone, Marble, Metal, Mixed Media / Prism Calacatta H with Brass



PART NUMBER
MB1203-PRSMH0

AVAILABILITY
IN STOCK

DIMENSIONS
8" equilateral = .19sqft

THICKNESS
10mm

PROFILE
MOSAICS

GROUT JOINT
1/8"

SEALER
YES

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|-------------|------|--------|
| Yes | Yes | Yes | No | No | No | No | No |

TECHNICAL DATA

| FEATURES | SPECIFICATION | STANDARD |
|------------------|---------------------------|--------------------|
| Frost resistance | No | UNE-ENHSO-10545-12 |
| DCOF | | ANSI A137.1 |
| Heat Resistance | Heat not to exceed 293° F | 96/603/CE |
| TRAFFIC | Standard Commercial | NA |

AKDO'S ETHEREAL COLLECTION MOSAICS IN CALACATTA W/ BRASS ARE CRAFTED USING REAL BRASS INLAY. AS A NATURAL MATERIAL, BRASS IS PRONE TO OXIDATION; A CHEMICAL REACTION THAT OCCURS OVER TIME FROM EXPOSURE TO AIR. WHILE BRASS HAS LONG BEEN PRIZED FOR ITS RES

For detailed installation instructions, visit akdo.com.

ETHEREAL STELLA CALACATTA (H) W/ BRASS

Stone, Marble, Metal, Mixed Media / Stella Calacatta H with Brass



PART NUMBER
MB1203-STLAHO

AVAILABILITY
IN STOCK

DIMENSIONS
10.25" x 8.75" = .63 sqft

THICKNESS
4mm

PROFILE
MOSAICS

GROUT JOINT
1/16"

SEALER
YES

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|-------------|------|--------|
| Yes | Yes | Yes | No | No | No | No | No |

TECHNICAL DATA

| FEATURES | SPECIFICATION | STANDARD |
|------------------|---------------------------|--------------------|
| Frost resistance | No | UNE-ENISO-10545-12 |
| DCOF | | ANSI A137.1 |
| Heat Resistance | Heat not to exceed 293° F | 96/603/CE |
| TRAFFIC | Standard Commercial | NA |

AKDO'S ETHEREAL COLLECTION MOSAICS IN CALACATTA W/ BRASS ARE CRAFTED USING REAL BRASS INLAY. AS A NATURAL MATERIAL, BRASS IS PRONE TO OXIDATION; A CHEMICAL REACTION THAT OCCURS OVER TIME FROM EXPOSURE TO AIR. WHILE BRASS HAS LONG BEEN PRIZED FOR ITS RES

For detailed installation instructions, visit akdo.com.

LUMINOUS BEAM CALACATTA (H&P) *Stone, Marble*



PART NUMBER
MB1203-DS0801

AVAILABILITY
IN STOCK

DIMENSIONS
8" x 8" = .444 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

VARIATION
HIGH

GROUT JOINT
BUTT JOINT

SEALER
YES

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|----------------------------|------|--------|
| Yes | Yes | Yes | No | No | Yes, when sealed properly. | No | No |

TECHNICAL DATA


| FEATURES | SPECIFICATION | STANDARD |
|------------------|---------------|--------------------|
| Frost resistance | No | UNE-ENHSO-10545-12 |
| DCOF | | ANSI A137.1 |

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

IT IS IMPORTANT TO PROPERLY SEAL MARBLE USED IN A SHOWER/STEAM SHOWER, AND MAINTAIN THE SEALANT REGULARLY TO ENSURE WATER BEADS OFF THE TILE.

For detailed installation instructions, visit akdo.com.

LUMINOUS BEAM CALACATTA W/ GOLD (H) *Marble, Stone, Mixed Media*



PART NUMBER
MB1203-DS0800

AVAILABILITY
IN STOCK

DIMENSIONS
8" x 8" = .444 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

GROUT JOINT
BUTT JOINT

SEALER
YES

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|----------------------------|------|--------|
| Yes | No | Yes | No | No | Yes, when sealed properly. | No | No |

TECHNICAL DATA

| FEATURES | SPECIFICATION | STANDARD |
|------------------|---------------------------|--------------------|
| Frost resistance | No | UNE-ENHSO-10545-12 |
| DCOF | | ANSI A137.1 |
| Heat Resistance | Heat not to exceed 293° F | 96/603/CE |

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

LUMINOUS DAYBREAK CALACATTA (H & COMBED) *Stone, Marble*



PART NUMBER
MB1203-DAYBH1

AVAILABILITY
IN STOCK

DIMENSIONS
8.25" x 10.5" = .588 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

VARIATION
HIGH

GROUT JOINT
1/16"

SEALER
YES

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|----------------------------|------|--------|
| Yes | Yes | Yes | No | No | Yes, when sealed properly. | No | No |

TECHNICAL DATA

| FEATURES | SPECIFICATION | STANDARD |
|------------------|---------------|--------------------|
| Frost resistance | No | UNE-ENHSO-10545-12 |
| DCOF | | ANSI A137.1 |

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

IT IS IMPORTANT TO PROPERLY SEAL MARBLE USED IN A SHOWER/STEAM SHOWER, AND MAINTAIN THE SEALANT REGULARLY TO ENSURE WATER BEADS OFF THE TILE.

For detailed installation instructions, visit akdo.com.

LUMINOUS DAYBREAK CALACATTA W/ GOLD (H) *Stone, Marble, Mixed Media*



PART NUMBER
MB1203-DAYBHO

AVAILABILITY
IN STOCK

DIMENSIONS
8.25" x 10.5" = .588 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

GROUT JOINT
1/16"

SEALER
YES

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|----------------------------|------|--------|
| Yes | No | Yes | No | No | Yes, when sealed properly. | No | No |

TECHNICAL DATA

| FEATURES | SPECIFICATION | STANDARD |
|------------------|---------------------------|---------------------|
| Frost resistance | No | UNE-EN-ISO-10545-12 |
| DCOF | | ANSI A137.1 |
| Heat Resistance | Heat not to exceed 293° F | 96/603/CE |

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

LUMINOUS RAY CALACATTA (H & P & COMBED) *Stone, Marble*



PART NUMBER
MB1203-RAY0H1

AVAILABILITY
IN STOCK

DIMENSIONS
10.19" x 9.75" = .689 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

VARIATION
HIGH

GROUT JOINT
1/16"

SEALER
YES

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|----------------------------|------|--------|
| Yes | Yes | Yes | No | No | Yes, when sealed properly. | No | No |

TECHNICAL DATA


| FEATURES | SPECIFICATION | STANDARD |
|------------------|---------------|--------------------|
| Frost resistance | No | UNE-ENHSO-10545-12 |
| DCOF | | ANSI A137.1 |

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

IT IS IMPORTANT TO PROPERLY SEAL MARBLE USED IN A SHOWER/STEAM SHOWER, AND MAINTAIN THE SEALANT REGULARLY TO ENSURE WATER BEADS OFF THE TILE.

For detailed installation instructions, visit akdo.com.

LUMINOUS RAY CALACATTA W/ GOLD (H & COMBED) *Stone, Marble, Mixed Media*



PART NUMBER
MB1203-RAY0H0

AVAILABILITY
IN STOCK

DIMENSIONS
10.19" x 9.75" = .689 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

GROUT JOINT
1/16"

SEALER
YES

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|----------------------------|------|--------|
| Yes | No | Yes | No | No | Yes, when sealed properly. | No | No |

TECHNICAL DATA

| FEATURES | SPECIFICATION | STANDARD |
|------------------|---------------------------|--------------------|
| Frost resistance | No | UNE-ENHSO-10545-12 |
| DCOF | | ANSI A137.1 |
| Heat Resistance | Heat not to exceed 293° F | 96/603/CE |

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

LUMINOUS RISE CALACATTA (H & COMBED) *Stone, Marble*



PART NUMBER
MB1203-RISEHO

AVAILABILITY
IN STOCK

DIMENSIONS
11.02" x 11.77" = .90 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

GROUT JOINT
1/16"

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|---------------------------|------|--------|
| Yes | Yes | Yes | No | No | Yes, when properly sealed | No | No |

For detailed installation instructions, visit akdo.com.

LUMINOUS RISE CALACATTA W/ GOLD (H & COMBED) *Stone, Marble, Metallic*



PART NUMBER
MB1203-RISEH1

AVAILABILITY
IN STOCK

DIMENSIONS
11.02" x 11.77" = .90 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

GROUT JOINT
1/16"

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|---------------------------|------|--------|
| Yes | No | Yes | No | No | Yes, when properly sealed | No | No |

TECHNICAL DATA

| FEATURES | SPECIFICATION | STANDARD |
|-----------------|---------------------------|-----------|
| Heat Resistance | Heat not to exceed 293° F | 96/603/CE |

For detailed installation instructions, visit akdo.com.

LUMINOUS SHINE CALACATTA (H&P) *Stone, Marble*



PART NUMBER
MB1203-SHNEHO

AVAILABILITY
IN STOCK

DIMENSIONS
7.72" x 8.89" = .37 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

GROUT JOINT
1/16"

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|---------------------------|------|--------|
| Yes | Yes | Yes | No | No | Yes, when properly sealed | No | No |

For detailed installation instructions, visit akdo.com.

LUMINOUS SHINE CALACATTA W/ GOLD (H) *Stone, Marble, Metallic*



PART NUMBER
MB1203-SHNEH1

AVAILABILITY
IN STOCK

DIMENSIONS
7.72" x 8.89" = .37 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

GROUT JOINT
1/16"

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|---------------------------|------|--------|
| Yes | No | Yes | No | No | Yes, when properly sealed | No | No |

TECHNICAL DATA

| FEATURES | SPECIFICATION | STANDARD |
|-----------------|---------------------------|-----------|
| Heat Resistance | Heat not to exceed 293° F | 96/603/CE |

For detailed installation instructions, visit akdo.com.

HOSHI CALACATTA (H) *Stone, Marble*



PART NUMBER
MB1203-HOSHHO

AVAILABILITY
IN STOCK

DIMENSIONS
10.15" x 11.75" = .828 sqft

THICKNESS
3/8"

PROFILE
MOSAIC

VARIATION
HIGH

GROUT JOINT
1/8"

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|--------------------------|--------------------------|------|--------|
| Yes | Yes | Yes | No | Yes when properly sealed | Yes when properly sealed | No | |

TECHNICAL DATA

| FEATURES | SPECIFICATION | STANDARD |
|----------|---------------------|----------|
| TRAFFIC | Standard Commercial | NA |

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

NAMI CALACATTA (H) *Stone, Marble*



PART NUMBER
MB1203-NAMIHO

AVAILABILITY
IN STOCK

DIMENSIONS
9.88" x 12" = .825 sqft

THICKNESS
3/8"

PROFILE
MOSAIC

VARIATION
HIGH

GROUT JOINT
1/8"

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|--------------------------|--------------------------|------|--------|
| Yes | Yes | Yes | Yes | Yes when properly sealed | Yes when properly sealed | No | |

TECHNICAL DATA

| FEATURES | SPECIFICATION | STANDARD |
|----------|---------------------|----------|
| TRAFFIC | Standard Commercial | NA |

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

PERSPECTIVE AXIS CALACATTA (H) W/ BLUE LAGOS (H)

Stone, Marble, Limestone



PART NUMBER
MB1203-AXISH1

AVAILABILITY
IN STOCK

DIMENSIONS
11.16" x 13.5" = 1.05 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

VARIATION
MEDIUM

GROUT JOINT
1/16

SEALER
YES

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|-------------|------|--------|
| Yes | Yes | Yes | Yes | No | No | No | No |

TECHNICAL DATA

| FEATURES | SPECIFICATION | STANDARD |
|----------|---------------|-------------|
| DCOF | | ANSI A137.1 |

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

PERSPECTIVE AXIS CALACATTA (H) W/ THASSOS (P)

Stone, Marble



PART NUMBER
MB1203-AXISH0

AVAILABILITY
IN STOCK

DIMENSIONS
11.16" x 13.5" = 1.05 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

VARIATION
MEDIUM

GROUT JOINT
1/16"

SEALER
YES

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|----------------------------|------|--------|
| Yes | Yes | Yes | No | No | Yes, when sealed properly. | No | No |

TECHNICAL DATA

| FEATURES | SPECIFICATION | STANDARD |
|----------|---------------|-------------|
| DCOF | | ANSI A137.1 |

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

IT IS IMPORTANT TO PROPERLY SEAL MARBLE USED IN A SHOWER/STEAM SHOWER, AND MAINTAIN THE SEALANT REGULARLY TO ENSURE WATER BEADS OFF THE TILE.

For detailed installation instructions, visit akdo.com.

PERSPECTIVE PIVOT CALACATTA (H) W/ THASSOS (P)

Stone, Marble / Marble



PART NUMBER
MB1203-PIVTH0

AVAILABILITY
IN STOCK

DIMENSIONS
11.25" x 12.88" = 1.01 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

VARIATION
MEDIUM

GROUT JOINT
1/16"

SEALER
YES

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|----------------------------|------|--------|
| Yes | Yes | Yes | No | No | Yes, when sealed properly. | No | No |

TECHNICAL DATA

| FEATURES | SPECIFICATION | STANDARD |
|----------|---------------|-------------|
| DCOF | | ANSI A137.1 |

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

PERSPECTIVE TWIST CALACATTA (H) W/ THASSOS (P)

Marble, Stone / Calacatta (H) with Thassos (P)



PART NUMBER
MB1203-TWISH0

AVAILABILITY
IN STOCK

DIMENSIONS
7.88" x 9.88" = .55 sqft

THICKNESS
3/8"

PROFILE
MOSAICS

VARIATION
MEDIUM

GROUT JOINT
1/16"

SEALER
YES

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|----------------------------|------|--------|
| Yes | Yes | Yes | No | No | Yes, when sealed properly. | No | No |

TECHNICAL DATA

FEATURES

DCOF

SPECIFICATION

STANDARD

ANSI A137.1

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

SUBLIME PLUME CALACATTA (H) *Stone, Marble*



PART NUMBER
MB1203-PLUMHO

PROFILE
MOSAICS,ART PIECES

AVAILABILITY
IN STOCK

DIMENSIONS
13.5" x 12" = 1.125 sqft

THICKNESS
3/8"

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|----------------------------|------|--------|
| Yes | Yes | Yes | No | No | Yes, when sealed properly. | No | No |

TECHNICAL DATA

| FEATURES | SPECIFICATION | STANDARD |
|------------------|---------------------|--------------------|
| Frost resistance | No | UNE-ENHSO-10545-12 |
| DCOF | | ANSI A137.1 |
| TRAFFIC | Standard Commercial | NA |

WATER JET MOSAICS ARE DELICATE IN NATURE, AND THUS, FRACTURES IN THE TESSERAЕ ARE EXPECTED AND CONSIDERED NATURAL. GROUT COLORS MAY BE CHOSEN TO MATCH THE COLOR OF THE STONE AND WILL REDUCE THE APPEARANCE OF THE CRACKS.

For detailed installation instructions, visit akdo.com.

12" GRAND MOLDING CALACATTA (H) *Stone, Marble*



PART NUMBER
MB1203-GM12H0

PROFILE
TRIM

AVAILABILITY
IN STOCK

DIMENSIONS
1 lnt (+/-)

THICKNESS
15/16"

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|----------------------------|------|--------|
| No | No | No | No | No | Yes, when sealed properly. | No | No |

TECHNICAL DATA

| FEATURES | SPECIFICATION | STANDARD |
|----------|---------------|-------------|
| DCOF | | ANSI A137.1 |

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

12" GRAND MOLDING CALACATTA (P) *Stone, Marble*



PART NUMBER
MB1203-GM12PO

PROFILE
TRIM

AVAILABILITY
IN STOCK

DIMENSIONS
1 lmf (+/-)

THICKNESS
15/16"

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|----------------------------|------|--------|
| No | No | No | No | No | Yes, when sealed properly. | No | No |

TECHNICAL DATA

| FEATURES | SPECIFICATION | STANDARD |
|----------|---------------|-------------|
| DCOF | | ANSI A137.1 |

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

12" CLASSIC RAIL CALACATTA (H) *Stone, Marble*



PART NUMBER
MB1203-RM12H0

PROFILE
TRIM

AVAILABILITY
IN STOCK

DIMENSIONS
1 lft (+/-)

THICKNESS
7/8"

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|----------------------------|------|--------|
| No | No | No | No | No | Yes, when sealed properly. | No | No |

TECHNICAL DATA

| FEATURES | SPECIFICATION | STANDARD |
|----------|---------------|-------------|
| DCOF | | ANSI A137.1 |

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

12" CLASSIC RAIL CALACATTA (P) *Stone, Marble*



PART NUMBER
MB1203-RM12PO

PROFILE
TRIM

AVAILABILITY
IN STOCK

DIMENSIONS
1 lnt (+/-)

THICKNESS
7/8"

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|----------------------------|------|--------|
| No | No | No | No | No | Yes, when sealed properly. | No | No |

TECHNICAL DATA

| FEATURES | SPECIFICATION | STANDARD |
|----------|---------------|-------------|
| DCOF | | ANSI A137.1 |

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

12" NARROW LINER CALACATTA (H) *Stone, Marble*



PART NUMBER
MB1203-NL12HO

PROFILE
TRIM

AVAILABILITY
IN STOCK

DIMENSIONS
1 lft (+/-)

THICKNESS
13/16"

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|----------------------------|------|--------|
| No | No | No | No | No | Yes, when sealed properly. | No | No |

TECHNICAL DATA

| FEATURES | SPECIFICATION | STANDARD |
|----------|---------------|-------------|
| DCOF | | ANSI A137.1 |

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

12" NARROW LINER CALACATTA (P) *Stone, Marble*



PART NUMBER
MB1203-NL12PO

PROFILE
TRIM

AVAILABILITY
IN STOCK

DIMENSIONS
1 lft (+/-)

THICKNESS
13/16"

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|----------------------------|------|--------|
| No | No | No | No | No | Yes, when sealed properly. | No | No |

TECHNICAL DATA

| FEATURES | SPECIFICATION | STANDARD |
|----------|---------------|-------------|
| DCOF | | ANSI A137.1 |

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

12" CONTEMPORARY RAIL CALACATTA (H) *Stone, Marble*



PART NUMBER
MB1203-CR12H0

PROFILE
TRIM

AVAILABILITY
IN STOCK

DIMENSIONS
1 lft (+/-)

THICKNESS
1 13/16"

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|----------------------------|------|--------|
| No | No | No | No | No | Yes, when sealed properly. | No | No |

TECHNICAL DATA

| FEATURES | SPECIFICATION | STANDARD |
|----------|---------------|-------------|
| DCOF | | ANSI A137.1 |

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

12" CONTEMPORARY RAIL CALACATTA (P) *Stone, Marble*



PART NUMBER
MB1203-CR12PO

PROFILE
TRIM

AVAILABILITY
IN STOCK

DIMENSIONS
1 lnt (+/-)

THICKNESS
1 13/16"

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|----------------------------|------|--------|
| No | No | No | No | No | Yes, when sealed properly. | No | No |

TECHNICAL DATA

| FEATURES | SPECIFICATION | STANDARD |
|----------|---------------|-------------|
| DCOF | | ANSI A137.1 |

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

12" PURE LINER CALACATTA (H) *Stone, Marble*



PART NUMBER
MB1203-PL12H0

PROFILE
TRIM

AVAILABILITY
IN STOCK

DIMENSIONS
1 lft (+/-)

THICKNESS
5/8"

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|-------------|------|--------|
| No | No | No | No | No | No | No | No |

TECHNICAL DATA

| FEATURES | SPECIFICATION | STANDARD |
|----------|---------------|-------------|
| DCOF | | ANSI A137.1 |

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

12" PURE LINER CALACATTA (P) *Stone, Marble*



PART NUMBER
MB1203-PL12PO

PROFILE
TRIM

AVAILABILITY
IN STOCK

DIMENSIONS
1 lft (+/-)

THICKNESS
5/8"

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|-------------|------|--------|
| No | No | No | No | No | No | No | No |

TECHNICAL DATA

| FEATURES | SPECIFICATION | STANDARD |
|----------|---------------|-------------|
| DCOF | | ANSI A137.1 |

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

CALACATTA (H) *Stone, Marble*



PART NUMBER

MB1203-BM12H0

PROFILE

TRIM

AVAILABILITY

IN STOCK

DIMENSIONS

4" x 12" x 3/4" = 1 lmf (+/-)

THICKNESS

3/4"

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|----------------------------|------|--------|
| No | No | No | No | No | Yes, when sealed properly. | No | No |

TECHNICAL DATA

| FEATURES | SPECIFICATION | STANDARD |
|----------|---------------|-------------|
| DCOF | | ANSI A137.1 |

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.

12" BASE MOLDING CALACATTA (P) *Stone, Marble*



PART NUMBER
MB1203-BM12P0

PROFILE
TRIM

AVAILABILITY
IN STOCK

DIMENSIONS
4" x 12" x 3/4" = 1 lnft (+/-)

THICKNESS
3/4"

ENVIRONMENTS

| WALL | FLOOR | INTERIOR | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | REPEAT |
|------|-------|----------|-------------------------|-----------------|----------------------------|------|--------|
| No | No | No | No | No | Yes, when sealed properly. | No | No |

TECHNICAL DATA

| FEATURES | SPECIFICATION | STANDARD |
|----------|---------------|-------------|
| DCOF | | ANSI A137.1 |

DUE TO THE INHERENT CHARACTERISTICS OF NATURAL STONE, THERE MAY BE VARIATIONS IN COLOR, MOVEMENT AND TEXTURE FROM LOT TO LOT.

For detailed installation instructions, visit akdo.com.